

NOVELTIES 2012



Apple[®] Charging-Set

Page 26



USB 3.0 to HDMI Adapter

Page 7



iPhone[®] BeamJack[™]

Page 22

Content


USB 3.0 Dual Docking Station with USB 3.0 extension cable.....	2	High-speed Powerline Ethernet adapter, 200 Mbps....	16
Universal Notebook Power Adapter	3	High-Speed 300N Powerline Access Point	17
Universal Notebook Power Adapter	3	USB 2.0 to Gigabit Ethernet Adapter	17
Universal Travel Notebook Power Adapter	3	1-Port USB 2.0 Multifunction Network Server	18
USB 2.0 „Easy“ Webcam	4	Gigabit NAS server for external USB HDD.....	18
USB 2.0 „Trendy“ Webcam.....	4	Internet Wireless 11n HD IP Camera.....	19
USB 2.0 HD Webcam.....	4	Internet Pan & Tilt Wireless HD IP Camera	19
USB 2.0 Wireless Webcam	5	Fast Switching Home Entertainment System.....	20
„Super Bass“ Portable Speaker.....	5	HDMI Video Extender with POE.....	20
USB 2.0 Hub 4-Port.....	5	Please find the entire cable-assortment in the.....	20
USB 3.0 to VGA Adapter	6	new ASSMANN-catalog.....	20
USB 3.0 to DVI Adapter	6	Please find the entire cable-assortment in the.....	20
USB 3.0 to HDMI Adapter	7	new ASSMANN-catalog.....	20
Bluetooth 4.0 tiny USB adapter	7	Audio-USB-KVM switch, 2-port, with integrated USB 2.0 Hub	21
4x USB 3.0 PCI Express Add-on Card	8	DVI-Audio-USB-KVM switch, 2-port, with integrated USB 2.0 Hub	21
2x USB 3.0 PCI Express Add-on Card	8	Gaming Joystick	23
USB 2.0 4+1 Port PCI Express card.....	9	GameKeys	23
1x Parallel interface card, PCIe	9	Mobility charging cable incl. USB hub.....	24
2x Serial interface card, PCIe	9	USB Sync/Charger cable.....	24
2x Serial interface card, PCI	9	Micro USB charging cable incl. USB hub.....	24
USB 3.0 to SATA III Adapter cable.....	10	USB Sync/Charger cable.....	24
Card Reader All-in-one, USB 3.0	10	3.5mm stereo with USB Audio Cable	25
Card Reader All-in-one, USB 2.0	10	Adapter Battery Pack	25
Wireless Projector Server.....	11	3.5mm stereo with USB Audio Cable	25
Dual Band 450N Wireless Access Point / Router.....	12	Micro USB adapter	25
Dual Band 300N Wireless Access Point / Router.....	12	Micro USB adapter	26
Wireless 450N Dual Band USB 2.0 Adapter	13	Component with USB Audio/Video Cable.....	26
Wireless 300N Dual Band USB 2.0 Adapter	13	Car Charger Kit	26
150N Wireless Access Point / Router.....	14	Charger Kit	26
Wireless 300N USB antenna adapter.....	14	Counter Display (assembled).....	27
Wireless 150N USB antenna adapter.....	15	Leather case for iPhone 4 & iPod Touch series	27
Wireless LAN rod antenna.....	15	USB Charging Adapter	27
High-speed Powerline Ethernet adapter, 500 Mbps....	16		

BEST PRODUCT 2011*

USB 3.0 Dual Docking Station with USB 3.0 extension cable

Instant storage access - ideal for back-up

- Supports 2 x 3,5" or 2,5" SATA HDD plug-in one compact unit, data can be transfer between 2,5 and 3,5 SATA HDD
- One touch back-up function (Multi-language driver)
- Two hard drives can be read & write at the same time
- Support USB 3.0 SUPERSPEED max 5Gbps/ USB 2.0 HIGH-SPEED mode 480Mbps/USB 1.1FULL-SPEED 12Mbps
- Achieves transfer speeds of up to 200Mbps
- Hot swapping of connected devices supported
- Supports SATA 1.5Gbps /3.0Gbps Speed negotiation
- Supports 2TB HDD
- Supports Windows 7, Vista and XP



287926 / DA-70547
USB 3.0 SATA Dual Docking Station



PRODUCT-HIGHLIGHTS

Universal Notebook Power Adapter

Slim and lightweight replacement or secondary power adapter for home, office or travel

Compact 70 Watt universal notebook power adapter

- Compatible with the major notebook brands like Acer, Asus, IBM, Dell, HP, Fujitsu, NEC, Toshiba, Sony, etc.
- Inclusive 11 different tips to fit almost any notebook
- Easy and safe output voltage selection by inserted tip
- LED identification shows the selected voltage
- Input: 100-240V AC 50-60Hz
- Output: 15V/16V/18V/18.5V/19V/19.5V/20V/ DC max. 70W
- High efficient and energy saving design
- Protection against overload, short circuit and overheating
- Built-in universal USB charging socket, e.g. for MP3 players, mobile phones, etc.
- Cable length: 100cm (power outlet to adapter), 110cm (adapter to Notebook)



278917 / DA-10070

Universal Notebook Power Adapter, 70W

Universal Notebook Power Adapter

Slim and lightweight replacement or secondary power adapter for home, office or travel

Compact 90 Watt universal notebook power adapter

- Compatible with the major notebook brands like Acer, Asus, IBM, Dell, HP, Fujitsu, NEC, Toshiba, Sony, etc.
- Inclusive 11 different tips to fit almost any notebook
- Easy and safe output voltage selection by inserted tip
- LED identification shows the selected voltage
- Input: 100-240V AC 50-60Hz
- Output: 15V/16V/18V/18.5V/19V/19.5V/20V DC max. 90W
- High efficient and energy saving design
- Protection against overload, short circuit and overheating
- Built-in universal USB charging socket, e.g. for MP3 players, mobile phones, etc.
- Cable length: 100cm (power outlet to adapter), 110cm (adapter to Notebook)



278931 / DA-10090

Universal Notebook Power Adapter, 90W

Universal Travel Notebook Power Adapter

Slim and lightweight design for traveling use

Compact 90 Watt universal notebook car adapter

- Compatible with the major notebook brands like Acer, Asus, IBM, Dell, HP, Fujitsu, NEC, Toshiba, Sony, etc.
- Inclusive 11 different tips to fit almost any notebook
- Easy and safe output voltage selection by inserted tip
- Input: 12-30V DC (car power adapter)
- Output: 15V/16V/18V/18.5V/19V/19.5V/20V DC max. 90W
- High efficient and energy saving design
- Protection against overload, short circuit and overheating
- Built-in universal USB charging socket, e.g. for MP3 players, mobile phones, etc.
- Cable length: 100cm (power outlet to adapter), 110cm (adapter to Notebook)



283683 / DA-10091

Universal Travel Notebook Power Adapter, 90W

USB 2.0 „Easy“ Webcam

High-quality CMOS sensor with 300k pixels

Internet webcam from Digitus with a 300K CMOS sensor and a maximum resolution of up to 1280x960. Additional the Easy Webcam has a built-in microphone. The flexible universal mounting guarantees a solid hold on LCD monitors and on laptops as well. With the „Snapshot“ button, you have the possibility to take your snapshots in seconds. Thanks to the driverless installation, you can use the webcam right away.

- Resolutions of up to 1.3 Mega pixels possible via software interpolation
- Built-in microphone
- USB 2.0 interface
- „Snapshot“ - button for instant pictures
- Multipurpose stand for laptops and LCD monitors
- Manual focus
- Driverless installation
- Supports Windows 7, Vista, XP



306290 / DA-71810

USB 2.0 „Easy“ Webcam

USB 2.0 „Trendy“ Webcam

High-quality CMOS sensor with 1.3 Mega pixels

The USB 2.0 „plug and play“ Webcam with integrated microphone and CMOS image sensor with 1.3 megapixels gives you an easy way to keep in contact with friends. With the „Snapshot“ button, you have the possibility to take your snapshots in seconds. By the automatic controlled LEDs, the webcam can be used even in low light conditions and a possible focus on a desired distance range, through the manual focus setting. The flexible universal mounting guarantees a solid hold on LCD monitors and on laptops as well. The Included Magician software allows you to edit your captured images by special effects, image frames, etc.

- Resolutions of up to 5 Mega pixels possible via software interpolation
- Built-in microphone
- USB 2.0 interface
- „Snapshot“ - button for instant pictures
- 3 automatic controlled LEDs for bad light conditions
- incl. IM Magician software for special effects, photo frames etc.
- Manual focus
- Driverless installation
- Supports Windows 7, Vista, XP



306405 / DA-71811

USB 2.0 „Trendy“ Webcam

USB 2.0 HD Webcam

High-quality CMOS sensor with 2.0 Mega pixels

Present yourself in front of your family members and friends in high definition! This is now so easy as never before. Thanks to the high definition USB Webcam from Digitus. The USB 2.0 „plug and play“ HD Webcam has an integrated microphone, CMOS image sensor with 2.0 megapixels and a high definition resolution of 1280x720p. It is possible to reach a resolution of 16 megapixels via software interpolation and an expanded focus on a desired range by manual focus setting. The images will „smoothly“ transferred with a refresh rate of up to 30fps. The Included Magician software allows you to edit your images captured by special effects, image frames, etc. The flexible universal mounting guarantees a solid hold on LCD monitors and on laptops as well.

- High definition resolution 720p (1280x720p), via software interpolated up to 1080p
- Resolutions of up to 16 Mega pixels possible via software interpolation
- Built-in microphone
- Framerate up to 30fps
- USB 2.0 interface
- incl. IM Magician software for special effects, photo frames etc.
- Manual focus
- Driverless installation
- Supports Windows 7, Vista, XP



306429 / DA-71813

USB 2.0 HD Webcam

USB 2.0 Wireless Webcam

Almost boundlessly! – Due to wireless transmission.

The USB 2.0 „plug and play“ Wireless Webcam with integrated microphone and CMOS image sensor with 300k pixels gives you an easy way to keep in contact with friends. etc. The USB dongle receives the wireless signal from the 2.4 GHz webcam which contains a built-in battery. After an operating time of 4-5 hours you can charge it via USB Port. With the „Snapshot“ button, you have the possibility to take your snapshots in seconds. By the automatic controlled LEDs, the webcam can be used even in low light conditions. Focus on a desired distance range, through the manual focus setting. The flexible universal mounting guarantees a solid hold on LCD monitors and on laptops as well. The Included Magican software allows you to edit your captured images by special effects, image frames, etc.

- 2.4G wireless webcam, 2-5 meter distance, with signal receiver
- High-quality CMOS sensor with 300k pixels
- Built-in microphone
- Driverless installation
- USB 2.0 interface
- „Snapshot“ - button for instant pictures
- Manual focus
- Rechargeable battery with power capacity for 4-5 working hours
- incl. IM Magican software for special effects, photo frames etc.
- Supports Windows 7, Vista, XP



306436 / DA-71814

USB 2.0 Wireless Webcam

„Super Bass“ Portable Speaker

Patented anti-breaking sound system and low-frequency enhancement technology - the sound wilimpress!

This high quality portable speaker full-metahousing enables you to enjoy your favourite music anywhere and anytime! Due to the integrated battery you are independent from the electricaoutlet. Just simply connect your PC, laptop, MP3 player, ipod/iphone/ipad, smartphone or phone to the speaker and you´re ready to go. Low-frequency enhancement and anti-breaking sound´s technology provide excellent performance. Moreover, the speaker is based on a patented sound technology and on a speciaacoustic design structure which uses air compression to boost sound quality. With this, the product is able to produce sound at the highest volume without any distortion, while maintaining music quality at the lowest volume.

- Single-channeportable speaker
- Provides anti-breaking sound system
- Supports low-frequency enhancement technology (LFE)
- Water resistant
- Offers up to 6 hours play time / Charging time: approx. 3 hours
- Charging function via Mini USB cable, 5V charging voltage
- Frequency range: 60Hz - 18KHz
- Speaker specifications: 40mm 2.6Ω 3W
- SNR (Signato Noise Ratio): ≥95dB
- 3.7V working voltage, built-in Lithium battery (400mAh)
- Distortion degree: ≤0.5%
- Recharging voltage: 5V

- With AUX 3.5mm jack
- Size: 60mm x 60mm x 50mm



306504 / DA-10285

„Super Bass“ Portable Speaker

USB 2.0 Hub 4-Port

Extend your connectivity!

The DIGITUS USB 2.0 4-Port Hub makes it simple to connect up to 4 USB devices at the same time to a PC or Mac. Plug in your favorite USB devices and profit from the very fast connection. This product has a clear and elegant design with a piano-black finish on the top and bottom surface, as well as an aluminium edge.

- USB 2.0 compliant
- Four USB 2.0 ports
- USB Mini B jack
- Supports USB High Speed 480Mbps and Full Speed 12Mbps
- Supports Media Copy and Hot-Swap
- Supports hot-plugging, plug and play compliant
- Color: black, silver
- Dimensions: 5.4cm x 2.8cm x 1.2cm



306535 / DA-70220

DIGITUS USB 2.0 4-Port, black, silver

USB 3.0 to VGA Adapter

One computer - up to 6 display devices - no extra video cards

The USB 3.0 Display Adapter is a device which enables connection to second display device to a computer using USB 3.0 port. With this convenient design, it can connect up to 6 display devices to a computer without installing extra video cards. Once the driver has been installed, the USB attached monitor will be enabled immediately. No function key on the adapter and there is no need to reboot the operating system after unplugging the USB adapter. System performance is an important issue when using multiple monitors. Another benefit of this adapter is that it occupies little computer resource; ensuring users get quality display without comprising computer performance.

- Extends your desktop workspace (Dual Display); add-on monitor, TV or projector via USB
- Compliant with USB specifications 3.0
- Supports multiple display modes on one PC: Primary, Extended, Mirror
- User-friendly application: screen rotation, multi-display management, smart monitor ID detection (EDID)
- Up to 6 graphic adapter simultaneously for PC
- Add or remove monitor without system reboot
- Supports High Resolution up to 2048x1152
- Video streaming is supported up to 1080p
- USB bus powered
- Resumes from hibernation and suspend modes
- Supports Windows 7, Vista and XP



311058 / DA-70450

USB 3.0 to VGA Adapter

USB 3.0 to DVI Adapter

One computer - up to 6 display devices - no extra video cards

The USB 3.0 Display Adapter is a device which enables connection to second display device to a computer using USB 3.0 port. With this convenient design, it can connect up to 6 display devices to a computer without installing extra video cards. Once the driver has been installed, the USB attached monitor will be enabled immediately. No function key on the adapter and there is no need to reboot the operating system after unplugging the USB adapter. System performance is an important issue when using multiple monitors. Another benefit of this adapter is that it occupies little computer resource; ensuring users get quality display without comprising computer performance.

- Extends your desktop workspace (Dual Display); add-on monitor, TV or projector via USB
- Compliant with USB specifications 3.0
- Supports multiple display modes on one PC: Primary, Extended, Mirror
- User-friendly application: screen rotation, multi-display management, smart monitor ID detection (EDID)
- Up to 6 graphic adapter simultaneously for PC
- Add or remove monitor without system reboot
- Supports High Resolution up to 2048x1152
- Video streaming is supported up to 1080p
- USB bus powered
- Resumes from hibernation and suspend modes
- Supports Windows 7, Vista and XP



311065 / DA-70451

USB 3.0 to DVI Adapter

USB 3.0 to HDMI Adapter

One computer - up to 6 display devices - no extra video cards

The USB 3.0 Display Adapter is a device which enables connection to second display device to a computer using USB 3.0 port. With this convenient design, it can connect up to 6 display devices to a computer without installing extra video cards. Once the driver has been installed, the USB attached monitor will be enabled immediately. No function key on the adapter and there is no need to reboot the operating system after unplugging the USB adapter. System performance is an important issue when using multiple monitors. Another benefit of this adapter is that it occupies little computer resource; ensuring users get quality display without comprising computer performance.

- Extends your desktop workspace (Dual Display); add-on monitor, TV or projector via USB
- Compliant with USB specifications 3.0
- Supports multiple display modes on one PC: Primary, Extended, Mirror
- User-friendly application: screen rotation, multi-display management, smart monitor ID detection (EDID)
- Up to 6 graphic adapter simultaneously for PC
- Add or remove monitor without system reboot
- Supports High Resolution up to 2048x1152
- Video streaming is supported up to 1080p
- USB bus powered
- Resumes from hibernation and suspend modes
- Supports Windows 7, Vista and XP



311089 / DA-70452
USB 3.0 to HDMI Adapter

Bluetooth 4.0 tiny USB adapter

The small design provides plug-in and leave-in convenience for great usability


Bluetooth specification 4.0

- Ultra low Power Consumption
- Class 2, up to 10 m distance
- Communicates with all standard Bluetooth devices
- System Requirements: PC compatible computer with USB 1.1 / USB 2.0 support, Microsoft Windows 7, Vista



308294 / DN-30210
Bluetooth 4.0 tiny USB adapter

4x USB 3.0 PCI Express Add-on Card



Data transfer rate up to 5Gbps

The performance boost for the new generation of ultra fast USB peripherals


- 4 x USB 3.0 Ports
- VL800 chipset
- Downward compatible to USB 2.0/1.1 devices
- Supported data transfer rates: Super-speed (5Gbps), High-speed (480Mbps), Full-speed (12Mbps) and Low-speed (1.5Mbps)
- Supports plug and play and hot swapping
- Compliant with Universal Serial Bus 3.0 specification Revision 1.0
- Compliant with PCI Express Base Specification 2.0; bus interface: PCI-Express x 1
- Supports PCI Bus Power Management Interface Specification revision 1.2
- Supports Windows 7, Vista and XP
- Microsoft certified WHQL drivers for Windows 7 32/64-bit, Vista 32/64-bit and XP 32/64-bit



309338 / DS-30221

USB 3.0 PCI Express Add-on Card, 4-Port

2x USB 3.0 PCI Express Add-on Card



The performance boost for the new generation of ultra fast USB peripherals

Looking for a quick and easy way to add USB 3.0 into your computer? Well, look no further, DIGITUS takes care of that. The DIGITUS USB 3.0 PCI Express extension card features two USB 3.0 Type A downstream connectors that can deliver transfer rates up to 5Gbps!

- 2 x USB 3.0 Ports
- Chipset: NEC D720200
- Downward compatible to USB 2.0/1.1 devices
- Supported data transfer rates: Super-speed (5Gbps), High-speed (480Mbps), Full-speed (12Mbps) and Low-speed (1.5Mbps)
- Supports plug and play and hot swapping
- Compliant with Universal Serial Bus 3.0 specification Revision 1.0
- Compliant with PCI Express Base Specification 2.0; bus interface: PCI-Express x 1
- Supports PCI Bus Power Management Interface Specification revision 1.2
- Incl. Low Profile bracket
- Supports: Windows 7, Vista, XP
- Microsoft certified WHQL drivers for Windows 7 32/64-bit, Vista 32/64-bit and XP 32/64-bit



309321 / DS-30220-3

USB 3.0 PCI Express Add-on Card, 2-Port

USB 2.0 4+1 Port PCI Express card



The quick and easy way to add extra USB Ports to your system

Easy plug and play makes installation a breeze, and hot swapping capabilities guarantee convenient, hassle-free connections without rebooting.


- 4 x external and 1 x internal USB 2.0 Ports
- Chipset: MCS9990
- Supports high-speed (480Mbps), full-speed (12Mbps), and low-speed(1.5Mbps) data transfer modes for simultaneous operation of multiple USB 2.0/1.1 devices
- Support device hotswapping and Plug and Play
- Installs in any available PCI Express slot with different lane width
- Supports Windows 7, Vista and XP



309352 / DS-30202-1

USB 2.0 4-port PCI Express card

1x Parallel interface card, PCIe



Take full advantage of all your high-speed parallel devices

Get more out of your parallel peripherals! DIGITUS parallel interface card, PCIe helps your old parallel devices perform like never before! With data transfer speeds of up to 2.5 Mbits/sec - up to 3 times faster than built-in parallel ports!


- 1 x DSUB 25, parallel port, jack
- Chipset: OXPcie952
- Data transfer rate up to 2.5Mbps
- Supports Standard Parallel Port (SPP), Enhanced Parallel Port (EPP) & Enhanced Capability Port (ECP)
- Compliant with PCI Express base specification 1.1
- Compliant with PCI Power Management 1.2
- Supports Windows 7, Vista and XP
- Incl. Low Profile bracket



309383 / DS-30020-1

PCIe, Parallel interface card 1x DSUB 25

2x Serial interface card, PCIe



Perfect for connecting serial modems, PDAs, digital cameras, printers, ISDN terminal adapters and many more

This PCI Express based serial Add-On card allows you to turn a PCI Express slot into two RS232 (DB9) serial ports. Based on a native single chip design reduces the load applied to the CPU by as much as 48% over conventional serial cards.


- 2 x DSUB 9, serial ports, male, UART 16C950
- Chipset: OXPcie952
- Data transfer rate up to 230,400bps
- Compliant with PCI Express base specification 1.1
- Compliant with PCI Power Management 1.2
- Supports Windows 7, Vista and XP



309390 / DS-30000-1

PCIe, Serial interface card, 2x DSUB 9

2x Serial interface card, PCI



Perfect for connecting serial modems, PDAs, digital cameras, printers, ISDN terminal adapters and many more

This PCI based serial Add-On card allows you to turn a PCI slot into two RS232 (DB9) serial ports. Based on a native single chip design reduces the load applied to the CPU by as much as 48% over conventional serial cards.

- 2 x DSUB 9, serial ports, male
- Chipset: MCS9865
- Data transfer rate up to 115,2Kbps
- Universal PCI interface 3.3V & 5V, 32-bit/64-bit
- Compliant with PCI 33MHz, ver. 3.0/2.3/2.2/2.1 specification
- 128-bytes onboard FIFO buffer
- On-chip hardware autoflow control to guarantee no data loss
- Plug and play, I/O address and IRQ assigned by BIOS



309369 / DS-33003

PCI, Serial interface card, 2 x DSUB 9

USB 3.0 to SATA III Adapter cable

Turns any SATA HDD / SSD into an ultra fast external USB 3.0 drive - Ideal for backup and service

Turns any SATA HDD / SSD into an ultra fast external USB 3.0 drive - Ideal for backup and service

- Supports 2.5/3.5 SATA HDD / SSD's
- Supports SATA 6.0Gbps / 3.0Gbps / 1.5Gbps Speed negotiation
- Supports data transfer rate: Super-speed(5Gbps) / High-speed(480Mbps) / Full-speed(12Mbps) / Low-speed(1.5Mbps)
- Compliant to USB 3.0 specification, down compatible with USB 2.0 and USB 1.1
- USB Mass Storage Class support
- Plug and Play and hot-swappable
- Compliant to Serial ATA3
- High-speed data transfer, low power consumption
- Incl. power supply, Input:AC 100-240V, 50/60Hz, Output: DC 12V2A
- 1.2M USB 3.0 to SATA III Cable
- Supports Windows 7, Vista, XP



308546 / DA-70326

USB 3.0 to SATA III Adapter cable

Card Reader All-in-one, USB 3.0

The fastest and easiest way to transfer digital images to your computer

The DIGITUS USB 3.0 „All-in-One“ Card Reader enables you to transfer your digital content to a PC or Mac in a very fast and easy way. The product gives you the ability to use nearly every type of memory card.

- Compliant to USB 3.0 specification, down compatible with USB 2.0 and USB 1.1
- Supports data transfer rate: Super-speed (5Gbps) / High-speed (480Mbps) / Full-speed (12Mbps) / Low-speed (1.5Mbps)
- Supports Media Copy and Hot-Swap
- Supports hot-plugging, plug and play compliant
- Supports the following memory card formats: Compact Flash (CF) series, Memory Stick (MS) + M2 series + MSXC + MSPRO-HC, Secure Digital (SD / SDHC) + mini SD + Micro SD (Trans-Flash), MMC, SDXC
- Bus powered - no external power supply necessary
- Supports Windows 2000/XP/Vista/7, Mac OS 10.X



300557 / DA-70330

Card Reader, USB 3.0, All-in-one

Card Reader All-in-one, USB 2.0

Transfer your digital content in a very quick and easy way!

The DIGITUS USB 2.0 All-in-One Card Reader makes it simple to transfer your digital content to a PC or Mac. The product gives you the ability to use nearly every type of memory card. It has a clear and elegant design with a piano-black finish on the top and bottom surface as well as an aluminium edge.

- USB 2.0 compliant
- Supports the following memory card types: CF, SD/SDHC/MMC/MMC4.0/RS-MMC/MMC PLUS/MMC Mobile/MMC Micro/miniSD, MS/MS Pro/MS Pro Duo, XD, Micro SD (T-Flash), M2
- USB Mini B jack
- Supports USB High Speed 480Mbps and Full Speed 12Mbps
- Supports Media Copy and Hot-Swap
- Supports hot-plugging, plug and play compliant
- Color: black, silver
- Dimensions: 5.4cm x 2.8cm x 1.2cm



306528 / DA-70322


Card Reader, USB 2.0, All-in-one

Wireless Projector Server

Presentation via Wireless LAN - quick - easy - comfortable!

Wireless integration of computers into your home cinema! The latest 11n wireless technology offers real image transmission to your projector, TV or monitor. You can watch photos in the highest quality in your home cinema. Make yourself comfortable! Instead of surfing the internet on your computer, transmit images to your TV! According to the motto „Technology must be fun!“ we emphasize the user friendly interface and the simple handling. Perfect presentations! The DIGITUS Wireless Presentation Server lifts your business meetings to a new level of performance. With the integrated access point you can transfer your presentations wirelessly in a user friendly way from your PC to a projector, TV, or monitor. With the VGA interface it is suitable for the most common devices. The software program is installed in only a few seconds. Start your presentations now - without any hassle or swapping! The heading presenter can choose whose turn it is.

- Wireless presentation of your computer projects on a projector, TV screen, or monitor
- Independent from video formats - The video is decoded on the computer directly
- No pre-installed software required - new users can download application from projector server directly and get it installed within 30 seconds.
- Supports all major TV and projector resolutions - 800x600, 1024x768, 1280x800 or 1400x1050
- Simultaneous content projection and web surfing - Integrated 300 Mbps Access Point
- WPS (Wi-Fi Protected Setup) function provides fast, easy, and secure wireless encryption
- Multiple user login supported
- Moderation of a meeting via network or via a push button on the device
- User friendly interface
- Inclusive remote controller
- VGA Video Output - Suitable for the most LCD or Plasma Displays and Projectors
- Audio Output with 3.5mm Stereo Jack
- You can connect external peripherals by USB to assist your presentation - like a wireless mouse
- Supports a direct USB Type B connection with Direct Show function (only for Windows) - Connect your PC directly to the Projector Server
- 10/100Mbps RJ45 LAN port for connections with local networks
- Supports Windows 7, Vista, XP and Mac OS X



Dual Band 450N Wireless Access Point / Router

Dual Band - parallel using of 2.4GHz and 5GHz frequency bands for less interferences and a stable connection

Wireless LAN Speed up to 450 Mbps

- Supported Standards 802.11a/b/g/n Wireless LAN
- Dual Band - parallel using of 2.4GHz and 5GHz frequency bands for less interferences and a stable connection
- Transmission in the 2.4GHz and 5GHz frequency bands at the same time
- Offers Access Point, Client Mode, Universal Repeater and WDS functions
- Gigabit LAN Connection offers high Bandwidth for Wired Clients
- Advanced Security Features with WPA2/WPA/WEP Encryption, Firewall, MAC Filter and Protection against DoS-Attacks
- Supports WPS (WiFi Protected Setup) - Push button for auto connection to a wireless adapter (adapter must support this feature)
- A hardware switch offers switching on/off of the Wireless LAN
- Integrated Router
- Connection: 4x RJ45 LAN, 1x RJ45 WAN
- Advanced Features: Virtual Server, DMZ, DDNS, VPN pass through, Web User Interface, Port Trigger, Port Forwarding, Upgradeable Firmware
- Additional Features: PPPoE, Static IP, PPTP, DHCP, NAT
- Green Ethernet - Designed for low power consumption



311195 / DN-70690

Dual Band 450N Wireless Access Point / Router

Dual Band 300N Wireless Access Point / Router

Dual Band - parallel using of 2.4GHz and 5GHz frequency bands for less interferences and a stable connection

Wireless LAN Speed up to 300 Mbps

- Supported Standards 802.11a/b/g/n Wireless LAN
- Dual Band - parallel using of 2.4GHz and 5GHz frequency bands for less interferences and a stable connection
- Transmission in the 2.4GHz and 5GHz frequency bands at the same time
- Offers Access Point, Client Mode, Universal Repeater and WDS functions
- Gigabit LAN Connection offers high Bandwidth for Wired Clients
- Advanced Security Features with WPA2/WPA/WEP Encryption, Firewall, MAC Filter and Protection against DoS-Attacks
- Supports WPS (WiFi Protected Setup) - Push button for auto connection to a wireless adapter (adapter must support this feature)
- A hardware switch offers switching on/off of the Wireless LAN
- Integrated Router
- Connection: 4x RJ45 LAN, 1x RJ45 WAN
- Advanced Features: Virtual Server, DMZ, DDNS, VPN pass through, Web User Interface, Port Trigger, Port Forwarding, Upgradeable Firmware
- Additional Features: PPPoE, Static IP, PPTP, DHCP, NAT
- Green Ethernet - Designed for low power consumption



311201 / DN-70590


Dual Band 300N Wireless Access Point / Router

Wireless 450N Dual Band USB 2.0 Adapter

Provides further coverage, less dead spot and higher throughput for the best online and multimedia experience

High speed data transfer rate with up to 450 Mbps

- Complies with 2.4GHz/5GHz 802.11n and downwards compatible with IEEE 802.11a/b/g standards
- Supports 64/128-bit WEP, WPA and WPA2 Encryption with IEEE 802.1x functions
- Suitable for all common network environments
- Product dimensions: 87.1mm x 26.6mm x 18mm
- USB 2.0 compliant
- 2 internal antennas and 1 external antenna (3T3R)
- Ralink RT3573 Chipset
- Supports Windows 7, Vista and XP



311188 / DN-70650

Wireless 450N Dual Band USB 2.0 Adapter

Wireless 300N Dual Band USB 2.0 Adapter

Provides further coverage, less dead spot and higher throughput for the best online and multimedia experience

High speed data transfer rate with up to 300 Mbps

- Complies with 2.4GHz/5GHz 802.11n and downwards compatible with IEEE 802.11a/b/g standards
- Dual Band - optionally using of 5GHz frequency band for less interferences and a stable connection
- Supports 64/128-bit WEP, WPA and WPA2 Encryption with IEEE 802.1x functions
- Suitable for all common network environments
- Product dimensions: 10mm x 27mm x 83mm
- USB 2.0 compliant
- 2 Antennas (2T2R)
- Ralink RT3572 Chipset
- Supports Windows 7, Vista and XP



311171 / DN-70550

Wireless 300N Dual Band USB 2.0 Adapter

150N Wireless Access Point / Router

With dedicated Wireless on/off switch - saves energy and prevents from unwanted radiation

Wireless LAN Speed up to 150 Mbps

- Supported Standards 802.11b/g/n Wireless LAN
- Transmission in the 2.4GHz frequency band
- Offers Access Point, Client Mode, Universal Repeater and WDS functions
- Advanced Security Features with WPA2/WPA/WEP Encryption, Firewall, MAC Filter and Protection against DoS-Attacks
- Supports WPS (WiFi Protected Setup) - Push button for auto connection to a wireless adapter (adapter must support this feature)
- A hardware switch offers switching on/off of the Wireless LAN
- Integrated Router
- Connection: 4x RJ45 LAN, 1x RJ45 WAN
- Advanced Features: Virtual Server, DMZ, DDNS, VPN pass through, Web User Interface, Port Trigger, Port Forwarding, Upgradeable Firmware
- Additional Features: PPPoE, Static IP, PPTP, DHCP, NAT
- Green Ethernet - Designed for low power consumption



310938 / DN-70490

150N Wireless Access Point / Router

Wireless 300N USB antenna adapter

Most flexible with detachable antenna

High speed data rate with up to 300Mbps

- Complies with 2.4GHz 802.11n and downwards compatible with IEEE 802.11g/b standards
- Detachable 3dBi antenna with RP-SMA connector
- Advanced Security Features with WPA2/WPA/WEP Encryption
- Suitable for all common network environments
- Supports WPS (WiFi Protected Setup)
- Compatible to USB 1.1 and USB 2.0 interface
- Status LEDs for Link and data transfer
- 1 Transmission Channel / 2 Receiver Channel
- Supports Windows 7, Vista, XP, Mac OS X and Linux
- **Connectable with DN-70105 for higher range**



307341 / DN-70540

Wireless 300N USB antenna adapter

Wireless 150N USB antenna adapter

Most flexible with detachable antenna

High speed data rate with up to 150Mbps

- Complies with 2.4GHz 802.11n and downwards compatible with IEEE 802.11g/b standards
- Detachable 3dBi antenna with RP-SMA connector
- Advanced Security Features with WPA2/WPA/WEP Encryption
- Suitable for all common network environments
- Supports WPS (WiFi Protected Setup)
- Compatible to USB 1.1 and USB 2.0 interface
- Status LEDs for Link and data transfer
- 1 Transmission Channel / 1 Receiver Channel
- Supports Windows 7, Vista, XP, Mac OS X and Linux




307358 / DN-70440

Wireless 150N USB antenna adapter

Wireless LAN rod antenna

Expands the Wireless LAN in range and coverage -
Improves the wireless signal quality

- Frequency range: 2.4GHz - 2.4835GHz
- Omnidirectional
- Gain: 9 dBi (reception)
- Suitable for 2.4GHz Wireless LAN
- Connected via RP-SMA socket
- Length: 38.5cm
- Diameter: 1.3cm
- Suitable for all DIGITUS® Wireless LAN products
- Suitable stand: DN-70106
- **e.g. as additional repeater for DN-70540**



200567 / DN-70105

Wireless LAN rod antenna, 9 dBi

High-speed Powerline Ethernet adapter, 500 Mbps

The easy Plug and Play adapter expands powerline network and offers network access from any power outlet

Adapter with network connection (RJ-45) for shared Internet access via DSL modem over the existing indoor power network

- Data transmission rates of up to 500Mbps over the building's own power network
- Gigabit Ethernet Network Connection
- Range of up to 300 meters across rooms and floors
- Bug proof security through integrated encryption process
- Particularly compact shape - no larger than a plug-in power adapter
- Compliant to the Home Plug AV standard
- Also suitable for game consoles with Ethernet connection or IPTV Set-Top-Boxes



302223 / DN-15024

High-speed Powerline Ethernet adapter, 500 Mbps

302230 / DN-15025

High-speed Powerline Ethernet adapter, 500 Mbps

High-speed Powerline Ethernet adapter, 200 Mbps

The easy Plug and Play adapter expands powerline network and offers network access from any power outlet

Adapter with network connection (RJ-45) for shared Internet access via DSL modem over the existing indoor power network

- Data transmission rates of up to 200Mbps over the building's own power network
- Range of up to 300 meters across rooms and floors
- Bug proof security through integrated encryption process
- Particularly compact shape - no larger than a plug-in power adapter
- Compliant to the Home Plug AV standard
- Also suitable for game consoles with Ethernet connection
- Security push button for software free configuration
- Power packet utility provides unsophisticated users a way to graphically manage



309802 / DN-15026

High-speed Powerline Ethernet adapter, 200 Mbps

309819 / DN-15027

High-speed Powerline Starter Kit, 200 Mbps

High-Speed 300N Powerline Access Point

Make power outlet become a Wireless LAN access point in your preferred room

This product features a wireless LAN access point and a Powerline adapter in a single device! It offers numerous and flexible opportunities to create or extend a local / in-house network by making wireless LAN available even in distant parts of your house. Plug and play - this device can easily be installed as an extension of your existing in-house power supply system - there is no need to reinstall your cable system! This device turns every wall socket in your house into a wireless access point, connecting it with the internet or a local network!

- 300 Mbps wireless LAN access point
- 200 Mbps Powerline adapter
- Highest security features due to the support of all common encryption methods
- Extension of existing wireless LAN networks featured by the WDS Repeater mode
- Compliant with Wireless LAN IEEE 802.11b/g/n standards
- Provides 128-bit AES Link Encryption with key management for secure Powerline communications
- Integrated enhanced Quality of Service (QoS) features
- Web user interface (remote configuration)
- Supports WPS (WiFi Protected Setup) - Push button for auto connection to the network
- Particularly compact shape - no larger than a plug-in power adapter
- Compliant to the Home Plug AV standard
- Also suitable for game consoles with Ethernet connection



276524 / DN-15018-1

High-Speed 300N Powerline Access Point

USB 2.0 to Gigabit Ethernet Adapter

Integrate your computer into a Gigabit Ethernet network!

This USB to Gigabit Ethernet adapter enables you to convert any USB port to an Ethernet port. Thanks to this, you can connect your PC or notebook easily to your home network system or internet router. Therefore, you can share data within your network and enjoy multiplayer gaming.

- Ethernet IEEE 802.3, 802.3u and 802.3ab (10Base-T, 100Base-TX and 1000 Base-T) compatible, with auto negotiation
- Auto-MDI(X) capable (straight and cross network cable auto-detection)
- Supports USB 2.0 Full Speed and High Speed (USB bus powered)
- Supports „Full-duplex“ and „Half-duplex“ operation
- LAN 7500 chipset
- 1 x RJ-45 (STP) port, USB female type A
- USB bus powered, plug and play
- LED status indicators
- Suitable for all common network environments
- Supports Windows 7, Vista, XP, Mac OS X and Linux



306313 / DN-10150


USB 2.0 to Gigabit Ethernet Adapter

1-Port USB 2.0 Multifunction Network Server

The all-in-one Solution: Integrated Print Server, NAS and Network USB Hub

Print Server - ideal for multifunction Printers

- NAS - connect your storage drives and turn it into a Network Attached Storage. Access your data over the network and internet. Wherever you want!
- Network USB Hub - connect and use USB devices over the network. No more cable hassle for Mobile Users!
- Supports all kind of printers, scanners, DVD drives, storages, cameras, webcams, digital TV tuners, iPods, iPads, iPhones and many more...
- Offers FTP, SMB and CIFS Server
- Provides 1 USB 2.0 Port, extension by USB Hub supported
- LAN: 10/100Mbps
- Supports Windows 7, Vista, XP and Mac OS X
- Easy setup through web browser



292913 / DN-13020

1-Port USB 2.0 Multifunction Network Server

292920 / DN-13021

1-Port USB 2.0 Wireless Multifunction Network Server

292937 / DN-13022

4-Port USB 2.0 Multifunction Network Server

292944 / DN-13023


4-Port USB 2.0 Wireless Multifunction Network Server

Gigabit NAS server for external USB HDD

The compact and energy efficient NAS Server for sharing your files on the network!

The Gigabit NAS Server enables USB 2.0 HDDs to access the network

- NAS function (Network Attached Storage) to provide centralized data access and storage to the network
- Easy provides storage space for expansion, sharing and backup to the whole network
- Two USB Ports for up to two external Hard Disk Drives
- RJ45 network connector for Gigabit Ethernet 10/100/1000 Mbps
- Easy data backup between the connected HDDs by push button
- Samba and FTP Server for easy file access
- BitTorrent Server for automatic downloads, even when the computer is switched off
- Easy access of photos, movies or music over iTunes, Xbox 360 and Playstation 3
- Supports FAT 32 file system with up to 127 GB file size
- Supports Windows 7, Vista, XP, Mac OS X and Linux



308362 / DN-70230

Gigabit NAS server for external USB HDD

Internet Wireless 11n HD IP Camera

Wireless home security without any cable clutter

The most complete, full featured all-in-one network camera system. Ideal for all purposes of remote surveillance and suitable for security applications.

- Crystal clear HD Video Resolution (SXVGA 1280x960, VGA 640x480, QVGA 320x240)
- Powerful mobile surveillance supporting iOS and Android devices
- Low-latency video streaming for sharp and clear images
- Wireless LAN according to the newest 11n Standard for fluent image transmission
- Convenient installation to the wireless network due to the WPS function. (The Wireless Access Point needs to support this feature)
- Meets the highest security requirements (WPA2 Encryption)
- Advanced motion detection - record and save events via Email/FTP-Server
- Integrated webserver supports standalone operation with direct internet connection
- High quality Megapixel CMOS sensor
- MJPEG image compression, 4x digital Zoom
- Supports up to 30 fps Video Frame Rate at QVGA and VGA, 10-15 fps at HD Resolution
- LAN Speed: 10/100Base-TX Ethernet
- Easy mounting due to the included accessories
- Suitable for the most common browsers
- Powerful Windows Software included
- Operating Temperature: 0°C - 40°C
- Power Source (±10%): DC5V / 1.0A
- Dimensions (mm): 27(L) x 65(W) x 80(H)



310785 / DN-16026

Internet Wireless 11n HD IP Camera

Internet Pan & Tilt Wireless HD IP Camera

Advanced vision network camera for perfect home security

The most complete, full featured all-in-one network camera system with motorized pan and tilt functions. Ideal for all purposes of remote surveillance and suitable for security applications.

- Crystal clear HD Video Resolution (SXGA 1280x1024, VGA 640x480, QVGA 320x240)
- Video recording and image capturing via LAN network and internet
- Motorized pan and tilt functions, controllable by network devices
- High sensitivity microphone for audio transmission
- Loudspeaker output for two-way communication
- Powerful mobile surveillance supporting iOS and Android devices
- Low-latency video streaming for sharp and clear images
- Supports H.264, MPEG4 and MJPEG Compressions
- Wireless LAN according to the newest 11n Standard for fluent image transmission
- Convenient installation to the wireless network due to the WPS function. (The Wireless Access Point needs to support this feature)
- Meets the highest security requirements (WPA2 Encryption)
- 2 detachable antennas with RP-SMA connector
- Supports SD Cards with up to 8GB Space
- Advanced motion detection - record and save events via Email/FTP-Server
- Integrated webserver supports standalone operation with direct internet connection
- High quality 1.3 Megapixel CMOS sensor
- 5mm Lens with F2.8
- Supports up to 30 fps Video Frame Rate at QVGA and VGA, 10-15 fps at HD Resolution
- LAN Speed: 10/100Base-TX Ethernet
- Easy mounting due to the included accessories
- Suitable for the most common browsers
- Powerful Windows Software included
- Horizontal pan up to 355°
- Vertical tilt up to 120°
- Operating Temperature: 0°C - 40°C
- Power Source (±10%): DC12V / 1A
- Dimensions (mm): 108 x 112 x 108
- **Connectable with DN-70105 for higher range**



311119 / DN-16035

Internet Pan & Tilt Wireless HD IP Camera

Fast Switching Home Entertainment System

Turn your home theatre into an inimitably adventure!

This 4 x 1-Port HDMI Switch with HEAC offers high speed switching between 4 HDMI sources without the need to redo the HDCP authentication. Besides, it provides you with 3D function as well as HEC and ARC splitting (HDTV to Ethernet and HDTV to Coaxial, Toslink or Stereo Audio signals) thanks to the built-in HDMI Ethernet and Audio Return Channel.

- 4 HDMI inputs and 1 HDMI output
- HDMI 1.4a with HEAC, 3D, CEC
- Built-in HDCP engine for Instant Port Switching (IPS)
- Highest video resolution 1080p
- Supports 225MHz/2.25Gbps per channel (6.75Gbps all channel) bandwidth and 12bit per channel (36bit all channel) deep color
- Supports 3D all format, including 1080p@23.98/24Hz, 720p@59.94/60Hz/50Hz, bandwidth up to 225MHz
- Compressed audio formats like DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD) and uncompressed audio formats such as LPCM
- Supports digital audio Toslink and COAX output simultaneously as well as Stereo audio output from source device (connection to Amplifier via ARC)
- No software or driver installation required
- Compatible with most commonly used operating systems like DOS, Windows 98SE/ME/2000/XP/2003 Server/Vista/7, Mac OS9/OSX and Sun Microsystems



Please find the entire
cable-assortment in the
new ASSMANN-catalog

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

310075 / DS-45320

4 x 1-Port HDMI switch

HDMI Video Extender with POE

Full HD and 3D Support

The DIGITUS HDMI Video Extender transmits digital video and audio signals up to 330 feet (100 meters) using one CAT5e/6 cable. Each video extender consists of a local unit that connects to an HDMI source and optional IR Transmitter, and a remote unit that connects to an HDMI display and optional IR receiver. It also provides POE function that you only need one power adapter at the end of the transmitter to supply the power both the end of the transmitter and receiver.

- Extends the max. length of HDMI cable up to 100M by using a simple network cable between a transmitter and a receiver unit.
- Cat 5 HDMI extender consisting of transmitter and receiver unit
- Video resolution up to 1080p
- For extension up to 100 meter
- Optional support for Infrared Remote (IR) control
- Deep color 12bit per channel (36bit all channel)
- Bandwidth 340MHz/3.4Gbps per channel (10.2Gbps all channel)
- HDCP pass through
- 3D pass through
- CEC pass through
- Support uncompressed audio such as LPCM
- Support POE (Power over Ethernet)
- Support compressed audio such as DTS Digital, Dolby Digital (including DTS-HD and Dolby True HD)
- Powered from a single power supply
- Follow the standard of IEEE-568B



Please find the entire
cable-assortment in the
new ASSMANN-catalog

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

309444 / DS-55400

HDMI Video extender, Cat5/6

Audio-USB-KVM switch, 2-port, with integrated USB 2.0 Hub

Simplify your workspace with only one monitor, keyboard and mouse for all connected computers - saves space and money

This high-qualitative KVM-switch allows the simultaneous or separate control of up to two PCs, supports audio and additional two USB-peripherals like scanner, printer, camera or something else.

- Controls two computers from a single console (keyboard/mouse) over USB
- Integrated USB-Hub - two computers can share two USB downstream ports
- USB 2.0 compliant
- Provides HUB switching in independent method or combination with the host switching (USB HUB Auto-Switch mode)
- Provides audio switching in independent method
- Supports VGA interface
- Superior video quality - resolutions up to WUXGA 1920x1200 at 60Hz
- PC selection via push button on front panel and/or hot keys on USB keyboard
- Auto scan function (Time interval can be adjusted between 5-20 seconds when the Auto-Scan function is enabled)
- LED display for easy status monitoring
- Plug and play
- Supports Windows®, Mac, Linux and Sun Micro Systems
- Optional KVM cable: AK 82301 (1.8m), AK 82302 (3.0m), AK 82303 (5.0m)
- Optional audio cable: AK 82101 (1.8m), AK 82102 (3.0m), AK 82103 (5.0m)



307235 / DS-12423

USB 2.0-Audio-KVM switch, 2-port

307242 / DS-12443

USB 2.0-Audio-KVM switch, 4-port

DVI-Audio-USB-KVM switch, 2-port, with integrated USB 2.0 Hub

Simplify your workspace with only one monitor, keyboard and mouse for all connected computers - saves space and money

This high-qualitative DVI-KVM-Switch allows the simultaneous or separate control of up to two PCs, supports audio and additional two USB-peripherals like scanner, printer, camera or something else.

- Controls two computers with DVI video from a single console (keyboard/mouse) over USB
- Integrated USB-Hub - two computers can share two USB downstream ports
- USB 2.0 compliant
- Provides HUB switching in independent method or combination with the host switching (USB HUB Auto-Switch mode)
- Provides audio switching in independent method
- Supports DVI interface
- Superior video quality - resolutions up to WUXGA 1920x1200 at 60Hz
- PC selection via push button on front panel and/or hot keys on USB keyboard
- Auto scan function (Time interval can be adjusted between 5-20 seconds when the Auto-Scan function is enabled)
- LED display for easy status monitoring
- Plug and play
- Supports Windows®, Mac, Linux and Sun Micro Systems
- Optional USB / Audio cable: AK 82201 (1.8m), AK 82202 (3.0m), AK 82203 (5.0m)
- Optional DVI cable: AK-320102-020-S (2.0m), AK-320102-030-S (3.0m), AK-320102-050-S (5.0m)



307259 / DS-12820

USB 2.0-DVI-Audio-KVM switch, 2-port

307266 / DS-12840

USB 2.0-DVI-Audio-KVM switch, 4-port

DIGITUS® iPhone® BeamJack™

4 in 1

- Use as additional-battery
- Dia-Show
- Cinema
- Presentations



Present
your Business
with the smallest-
Snap-on Techno-
logy!

Smallest Snap-On technology, cinema at its most!

The super-small and lightweight projector enables projections on indoor and outdoor surfaces. With a projection-distance of up to 3 meters, it is the smallest and most efficient device of its category.

The projector is just a tiny bit bigger as an iPhone 4/4S and therefore allows „in-between“ cinema experiences during journeys, at friends` or at home. Just simply plug your iPhone 4/4S on the dock-connector and you`re ready to start. The devices synchronize automatically. Your photos and movies, blockbuster or YouTube-videos can be played anytime and everywhere.

With a play time of up to 3 hours, the movies can be played uninterruptibly - the only thing you need is a free surface. The DIGITUS BeamJack leaves a very good impression even in the field of business! With the small and compact measurements, as well as the innovative snap-on technology, you`re always properly prepared for your presentations. The BeamJack is small and lightweight, so that it can be carried along each and every day. Moreover, it allows your PowerPoint presentations to become an optimal performance in the next meeting. With adequate apps, the DIGITUS BeamJack becomes ready for business!

For comfortable presentations of PowerPoint files, we recommend the applications `Dropbox` and `Presentation Viewer`, which can be downloaded for free in the Apple App store. In the following, we would like to give you an overview of the applications. Dropbox - have your documents, videos and photos always at hand! Dropbox is a free service, which saves and synchronizes your

data online. With that, the stored documents can always be accessed. The Dropbox enables direct access to your data from everywhere, equally in the office, at home or on the way. Dropbox is amongst others available for the Apple iPhone as well as for Mac and Windows systems.

Presentation Viewer - Show your PowerPoint presentations on the Apple iPhone! With the Presentation Viewer, PowerPoint presentations can be converted, so that they can be directly accessed via the Apple iPhone to be presented with the DIGITUS BeamJack.

- Projects 50 inch-pictures and videos from your iPhone 4/ 4S onto a free surface with a resolution of 640x360 pixel
- High-quality performance and brightness thanks to 15-lumen-LED projection
- Aspect Ratio: 16:9, 15 lumen
- Projection distance: 48.0 cm to 3.0 m
- Projector rechargeable via USB
- Integrated Li-polymer battery with charging function (2100mAh) for iPhone 4 / 4S
- Provides additional charge feature for the iPhone
- Offers up to 3 hours play time
- Integrated 0.5 watt speaker for perfect sound
- Integrated focus wheel and volume control buttons
- Charging time: approx. 4 hours
- Incl. USB-Charger Cable
- Size: 12.7cm x 6.3cm x 2.2cm
- Weight: 105g



Gaming Joystick

This Joystick gives you the ultimate control over any game with a virtual joystick

Do you miss your gaming console? This product gives you the feeling of an analog joystick. And transforms your Tablet PC into a mobile gaming console. So you have much more precision in your games and can not miss the area of control. Once the display is lit, melts the DIGITUS Gaming Joystick as a unit on your Tablet PC and is almost invisible, so you will never miss any action on the screen.

- Auto-centering for maximum control over your game
- Transparent design provides an unrestricted view of all the incoming action
- Quick and easy suction cup attachment
- Manufactured from an incredibly tough, but still flexible resin



310433 / DA-70071

Gaming Joystick

GameKeys

Add real physical joysticks to your touchscreen-devices for enhanced gaming precision

The perfect solution for your Tablet PC / Smartphone to transform it to a mobile game console. Place the „iKey“ with the suction cups on your Tablet PC / Smartphone, launch your favorite game and break your highscores!

- Removable and re-positionable
- Works with thousands of different games
- No damaging of the touchscreen



310358 / DA-70070

Game Keys

Mobility charging cable incl. USB hub



Charge your Apple® device conveniently without losing the USB port

The DIGITUS Apple® mobility charging cable incl. USB hub enables you to charge your iPad, iPhone and iPod via the USB port and offers one additional USB hub. With this, you can use the USB port simultaneously for other needs.

- Charging function for iPad, iPhone & iPod
- Provides one additional USB hub
- Maximum data transfer rate 480Mbps (USB 2.0)
- USB 2.0 compliant
- Supports Windows 7, Vista, XP, Mac OS X and Linux



308508 / DA-70219

Mobility charging cable incl. USB hub

USB Sync/Charger cable



Anywhere and by-the-way synchronization and charging

Ideally to synchronise and charge an Apple iPod®, iPhone® or iPad® over the computer or for charging over any USB battery charger.

- For connection to a computer, laptop or appropriate power supply with USB port A
- For data transfer of, for example, music editing programs such as iTunes or suitable as a USB cable for charging over suitable power supplies
- UL certified
- double shielding
- AWG 30
- wire material cu
- surface nickel plated
- color cable black
- color connector black



293712 / DB-600100-003-S

iPod® USB Sync/Charger cable, 0.25m

Micro USB charging cable incl. USB hub



Charge your device conveniently without losing the USB port

The DIGITUS Micro USB charging cable incl. USB hub enables you to charge your smartphone, phone, MP3 player etc. conveniently and offers an additional USB hub. With this, you can use your USB port simultaneously for other needs.


- Charging function for smartphones, phones, MP3 players etc. via Micro USB port
- Provides one additional USB hub
- Maximum data transfer rate 480Mbps (USB 2.0)
- USB 2.0 compliant
- Supports Windows 7, Vista, XP, Mac OS X and Linux



308492 / DA-70218

Mobility charging cable incl. USB hub

USB Sync/Charger cable



Anywhere and by-the-way synchronization and charging

Ideally to synchronise and charge an Apple iPod®, iPhone® or iPad® over the computer or for charging over any USB battery charger.

- For connection to a computer, laptop or appropriate power supply with USB port A
- For data transfer of, for example, music editing programs such as iTunes or suitable as a USB cable for charging over suitable power supplies
- UL certified
- plastic hood
- Double shielded
- AWG 30
- wire material cu
- surface nickel plated
- color connector white
- color cable white



293729 / DB-600100-005-W

iPod® USB Sync/Charger cable, 0.5m

293835 / DB-600100-010-W

iPod® USB Sync/Charger cable, 1.0m

3.5mm stereo with USB Audio Cable



Easy listening to your music over PC or Hi Fi-System

With this Apple audio and charging cable, you can hear music from an iPod®, iPhone® or iPad®, for example over your home stereosystem, a radio with 3.5mm stereo input jack or a car radio. Via the USB port your device can be charged and synced with a PC.

- Connector 1 Apple dock, plug
- Connector 2 3.5mm stereo, plug + USB A, plug
- UL certified UL20276
- Hoods plastic
- Shielding single shielding
- AWG 30
- Wire material CU
- Connector surface nickel-plated
- Color cable black
- Color connector black
- Length 0.5 m



307495 / DB-600102-005-S

iPod® 3.5mm stereo with USB Audio Cable, 0.5m

3.5mm stereo with USB Audio Cable



Easy listening to your music over PC or Hi Fi-System

With this Apple audio and charging cable, you can hear music from an iPod®, iPhone® or iPad®, for example over your home stereosystem, a radio with 3.5mm stereo input jack or a car radio. Via the USB port your device can be charged and synced with a PC.

- Connector 1 Apple dock, plug
- Connector 2 3.5mm stereo, plug + USB A, plug
- UL certified UL20276
- Hoods plastic
- Shielding double shielding
- AWG 30
- Wire material CU
- Connector surface nickel-plated
- Color cable white
- Color connector white
- Length 1.5 m



305903 / DB-600102-015-W

iPod® 3.5mm stereo with USB Audio/Video Cable, 1.5m

Adapter Battery Pack



Your back-up power source

Ideally for the lengthening of the accumulator from iPod® or iPhone®, e.g., during trekking / travelling tours, while using as a Navi or MP3 player. To charge the battery pack, you can connect the battery with the included USB A/M - miniB(5pin)/M cable to a PC or notebook.

- Battery type: Li-Pol
- Capacity: 1500mAh
- Output: DC5V/500mA
- Load cycle: >1000
- Measurements: 61(L)*45.5(W)*13(H)mm



293910 / DB-600500-000-W

iPod® Adapter Battery Pack incl. Sync/Charger cable, 1.5m

Micro USB adapter



Now loading Apple i-Devices with standard Micro USB charger cables!

This Apple iPod® / iPhone® / iPad® adapter allows you to exchange data and battery charging via Micro USB interface.

- Connector 1 Apple dock, plug
- Connector 2 Micro USB B, jack
- UL certified UL20276
- Hoods plastic
- Shielding single shielding
- Connector surface nickel-plated
- Color connector black



307501 / DB-600501-000-S

iPod® Micro USB adapter

Micro USB adapter



Now loading Apple i-Devices with standard Micro USB charger cables!

This Apple iPod® / iPhone® / iPad® adapter allows you to exchange data and battery charging via Micro USB interface.

- Connector 1 Apple dock, plug
- Connector 2 Micro USB B, jack
- UL certified UL20276
- Hoods plastic
- Shielding single shielding
- Connector surface nickel-plated
- Color connector white



305880 / DB-600501-000-W

iPod® Micro USB adapter

Car Charger Kit



All about charging on the trip

Universal Apple iPod® / iPhone® / iPad® connection set to charge over a USB car charging adapter or for synchronisation with the computer.

- Set consisting of an Apple Dock sync / charger cable, 1.0 m in white and a car adapter in white, for power supply over the car cigarette lighter socket.
- LED power indicator
- Input voltage DC 10,5 -18V
- Output voltage: DC 5V
- Fuse: 2A 250V
- charging rate 1 A



293743 / DB-600900-010-W

iPod® Car Charger Kit incl. Sync/Charger cable, 1.0m

Component with USB Audio/Video Cable



Present your fotos and videos easily on a screen;

Ideally to connect an Apple iPod®, iPhone® or iPad® over the component video plugs (RCA) with a television or a HiFi-system. Beyond that, with the USB plug you have the opportunity to charge the devices over an USB battery charger or computer, with concurrent audio/video-playback.


- UL certified
- plastic hood
- Double shielded
- AWG 30
- wire material cu
- surface nickel plated
- color cable white
- color connector white



293736 / DB-600101-015-W

iPod® Component with USB Audio/Video Cable, 1.5m

Charger Kit



LED Indicator for charging process

This compact, universal Apple iPod® / iPhone® / iPad® USB Power Adapter Set enable a fast, efficient charging at home, office or on the go.

- Set consisting of an Apple Dock sync / charger cable, 1.0 m in white and a power adapter in white.
- LED power indicator
- Input voltage: 100-240V AC, 50/60Hz
- Output voltage: DC 5V
- Charge rate: 2.1A



305927 / DB-600901-010-W

iPod® Charger Kit incl. Sync/Charger cable, 1.0m

Counter Display (assembled)

Ready assembled out-of-the-box presenter

Apple® Counter Display purchased parts package

Package Content

- Apple® Counter Display (assembled)
- 1x Positioner - Apple® Counter Display with presentation stages DM-50004
- 1x Covering box with dividing wall for save transportation
- 4x iPod® USB Sync/charger cable DB-600100-003-S
- 4x iPod® USB Sync/charger cable DB-600100-005-W
- 4x iPod® USB Sync/charger cable DB-600100-010-W
- 2x iPod® Component with USB Audio/Video cable DB-600101-015-W
- 2x iPod® Adapter battery pack DB-600500-000-W
- 2x iPod® Car Charger Kit DB-600900-010-W
- 1x Apple® Accessories catalog, english DM-30028



306146 / DA-50005

Apple® Counter Display (assembled) - with german catalog

306153 / DA-50006

Apple® Counter Display (assembled) - with english catalog

Leather case for iPhone 4 & iPod Touch series

Best protection and trendy style for your iPhone 4 and iPod Touch series

The DIGITUS Leather case gives your iPhone 4 and iPod Touch series an individual style and protects your favorite Apple® device against scratching. This handmade leather case is the best way to carry your Apple® products, because it fits perfectly. A specially designed strap in the case makes sure that you can release the device quickly and easily. Moreover, it completely disappears within the case. Six individually stamped holes in the bottom give you the possibility to enjoy music playback or to simply twig the ringing while keeping the Apple® device safe in the case. In addition, you have a small pocket on the backside which can be used to transport your credit card, business card or cash.

- Leather case for iPhone 4 and iPod Touch series, black colored
- Special strap for easy pull-out
- Six stamped holes for the speakers
- Comfortable additional pocket on the backside
- Material: genuine leather
- Dimensions: 12.5cm x 7.9cm x 0.3cm
- Thickness incl. iPhone 4: 1.3cm



without iPhone



305576 / DA-14005

Leather case, black, for iPhone 4 and iPod Touch series

305583 / DA-14006

Leather case, brown, for iPhone 4 and iPod Touch series

305590 / DA-14007

Leather case, red, for iPhone 4 and iPod Touch series

USB Charging Adapter

The tiny and simple solution to charge your devices!

The DIGITUS® charging adapter allows you to charge your devices via PC, which normally cannot be charged directly via the PC's USB power. Its small-sized and simple design simplifies the charging process and ensures convenient usage.

- USB 2.0 compliant
- USB A Male / USB A Female
- Supports Windows 7, Vista, XP, Mac OS X and Linux



306498 / DA-11003

USB Charging Adapter, black

306672 / DA-11004

USB Charging Adapter, white

DIGITUS®

Enjoy connections. Live.



**Please find the complete DIGITUS® assortment
of high quality computer and network accessories online at:
www.digitus.info**

All stated cable lengths can vary by up to $\pm 5\%$. Disclosure and also duplication of these documents are not allowed, unless otherwise permitted. Infringements will lead to a claim for damages. Mentioned brand names and logos are trade marks or registered trade marks of the respective owners. All details are given without guarantee. Errors and technical changes are excluded. Changes deviating in design from the illustrations in the catalog are also excluded. Delivery while stocks last. We do not accept any liability for printing errors. DIGITUS® is a registered trade mark.

DM-30042